JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 411 (1991)

AUTHOR INDEX

Abel, E.W., (411) 239
Ahn, S., (411) 181
Akkerman, O.S., (411) 291
Amberger, H.-D., (411) 331
Angermund, K., (411) 37
Apostolidis, C., (411) 171
Atkinson, J.M., (411) 131, 139

Baker, P.K., (411) 215
Ballesteros, A., (411) C11
Bandoli, G., (411) 99
Batchelor, R.J., (411) 147
Beck, G., (411) 181
Beck, W., (411) 395
Behrens, U., (411) 325
Bell, W., (411) 251
Benn, R., (411) 37
Betz, P., (411) 37, 369
Bhattacharyya, N.K., (411) 419
Bickelhaupt, F., (411) 291
Bismarck, R. von, (411) 25
Blaschette, A., (411) 57
Boparoy, N.S., (411) 89
Boyadjiev, B., (411) 405
Braterman, P.S., (411) 207
Braunwarth, H., (411) 383
Breimair, J., (411) 395
Brimah, A.K., (411) 325
Brindley, P.B., (411) 131, 139
Brunner, H., (411) 375, C1
Butenschön, H., (411) 369

Cardin, C.J., (411) C3
Cardin, D.J., (411) C3
Carpenter, B.K., (411) C7
Casellato, U., (411) 99
Chorghade, G.S., (411) 419
Connelly, N.G., (411) 285
Convery, M.A., (411) C3

Dahlenburg, L., (411) 457
Dankosh, H.E., (411) C7
Deck, W., (411) 431
Demerseman, B., (411) 263
Devereux, M.M., (411) C3
Dixneuf, P.H., (411) 263

Echavarren, A.M., (411) 255
Edelmann, F.T., (411) 271, 347
Edelstein, N.M., (411) 331
Einstein, F.W.B., (411) 147
Ellert, O.G., (411) 193
Eremenko, I.L., (411) 193
Evertz, K., (411) 383
Exner, R., (411) 225

Fawzi, R., (411) 491
Fehlhammer, W.P., (411) 181, 405
Fendesak, G., (411) 445
Filippou, A.C., (411) C21
Fischer, E.O., (411) C21
Fischer, R.D., (411) 325
Fornalczyk, M., (411) 357
Fuchs, J., (411) 405
Funk, T., (411) 491

Gay, I.D., (411) 147
Gaye, M., (411) 263
Gilje, J.W., (411) 271
Glidewell, C., (411) 251
Goddard, R., (411) 37
Grdenić, D., (411) 19
Grünleitner, W., (411) C21
Gu, J.-H., (411) 147
Günauer, D., (411) 383

Heesche-Wagner, K., (411) 107
Herberhold, M., (411) 233
Hildenbrand, T., (411) 1
Hiller, W., (411) 491
Hoberg, H., (411) C11
Holt, E.M., (411) 419
Huttner, G., (411) 383

Janssen, E., (411) 37
Jibril, I., (411) 383
Jones, P.G., (411) 57

Kaim, W., (411) 207
Kanellakopulos, B., (411) 171
Katugin, A.S., (411) 193
Kendrick, D. ap, (411) 215
Kerstan, S., (411) 457
King, R.B., (411) 419
Knaup, W., (411) 471
Knorr, M., (411) 75
Kohlmann, S., (411) 207
Korpar-Čolig, B., (411) 19
Kreiter, C.G., (411) 225
Krüger, C., (411) 37
Kumar Das, V.G., (411) 121

Lau, P., (411) 383
Lawrie, C.J., (411) C7
Lehmkuhl, H., (411) 37
Lehr, K., (411) 225
Leitner, P., (411) 233
Lindner, E., (411) 491
Long, G.J., (411) 419
Loumrhari, H., (411) 255
Loyns, A.C., (411) 285

Maier, R., (411) 171
Markies, P.R., (411) 291
Matković-Čalogović, D., (411) 19
Mauzé, B., (411) 69
Michalides, A., (411) 57
Miginiac, L., (411) 69
Minelli, M., (411) 383
Mitchell, T.N., (411) 107
Moszner, M., (411) 281

Nefedov, S.E., (411) 193
Ng, S.W., (411) 121
Noltemeyer, M., (411) 271, 347
Novotortsev, V.M., (411) 193

Orrell, K.G., (411) 239
Osborne, A.G., (411) 239

Pasynskii, A.A., (411) 193
Peruzzo, V., (411) 99
Pétillon, F.Y., (411) 159
Piana, H., (411) 303
Pieper, U., (411) 347
Pinto, B.M., (411) 147
Plazzogna, G., (411) 99

Popović, Z., (411) 19
Powell, A.K., (411) 431
Preetz, W., (411) 25
Prester, F., (411) C1
Priebsch, W., (411) 357

Rebizant, J., (411) 171
Recknagel, A., (411) 347
Reddmann, H., (411) 331
Rehder, D., (411) 357
Robl, C., (411) 395
Ros, J., (411) 255
Rosenberger, V., (411) 445
Rufińska, A., (411) 37

Sandhu, G.K., (411) 89
Santos, A., (411) 255
Schat, G., (411) 291
Schenk, W.A., (411) C27
Schmidt, H.-G., (411) 347
Schneider, U., (411) 107
Schoder, F., (411) 405
Schollhamer, P., (411) 159
Schröder, A., (411) 405
Schrölkamp, S., (411) 405
Schubert, U., (411) 75, 303
Schultze, H., (411) 331
Shalimoff, G.V., (411) 331
Shestakov, A.F., (411) 193
Šik, V., (411) 239
Sikirica, M., (411) 19
Smeets, W.J., (411) 291
Song, J.-I., (411) 207
Spek, A.L., (411) 291
Stalke, D., (411) 347
Straßer, C., (411) 75
Struchkov, Yu.T., (411) 193
Süßmilch, F., (411) 357

Talarmin, J., (411) 159
Tiekink, E.R.T., (411) 121
tom Dieck, H., (411) 445
Topalović, I., (411) 369
Torres, M.R., (411) 255
Urban, P., (411) C27

Vahrenkamp, H., (411) 431
Vas'utinskaya, E.A., (411) 193
Villena, A., (411) 291
Vogler, C., (411) 207
Völkl, A., (411) 405
von Bismarck, R., (411) 25

Wang, G., (411) 239
Wedler, M., (411) 271
Werner, D., (411) 457
Werner, H., (411) 471
Westerhausen, M., (411) 1
Wey, H.G., (411) 369

Yanovsky, A.I., (411) 193

Ziegler, M.L., (411) 171
Zintl, H., (411) 375
Ziółkowski, J.J., (411) 281
Zsolnai, L., (411) 383

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 411 (1991)

SUBJECT INDEX

Aluminium

Alkylaluminiumphenoxides, three- or four-coordinated aluminium in; distinction by use of ^{27}Al NMR spectroscopy (R. Benn, E. Janssen, H. Lehmkuhl, A. Rufińska, K. Angermund, P. Betz, R. Goddard, C. Krüger), (411) 37

Boron

Halogenophenyl- and phenyloxyhydrododecaborates, $[(XC_6H_4)_nB_{12}H_{12-n}]^{2-}$ (X = Br, I; n = 1–3) and $[(C_6H_5O)B_{12}H_{11}]^{2-}$; synthesis and ^{11}B, ^{13}C and ^{1}H NMR spectra of (W. Preetz, R. von Bismarck), (411) 25

Calcium

Bis[bis(trimethylsilyl)methyl]tin(II), examination of the reaction with calcium; molecular and crystal structure of benzyl-tris[bis(trimethylsilyl)methyl]stannane (M. Westerhausen, T. Hildenbrand), (411) 1

Chromium

Bi- and trinuclear cyclopentadienyl clusters of chromium with nitrene bridges (I.L. Eremenko, A.A. Pasynskii, E.A. Vas'utinskaya, A.S. Katugin, S.E. Nefedov, O.G. Ellert, V.M. Novotortsev, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (411) 193

$(CO)_{5-n}(R'_3P)_nM(H)SiR_3$ (n = 2,3), synthesis of phosphane substituted hydridosilyl complexes of chromium, molybdenum and tungsten; synthesis of $(CO)_3$(L–L)M(H)Cl by conversion of $(CO)_3$(L-L)M(NCR') with $HSiClR_2$ (L–L = tmeda, bipy, dppe, $(PPh_3)_2$) (H. Piana, U. Schubert), (411) 303

$Cr(CO)_5CNCCl_3$, reactions with primary amines; synthesis of aliphatic, aromatic, functional, and chiral isocyanides (W.P. Fehlhammer, S. Ahn, G. Beck), (411) 181

Highly substituted tricarbonyl(cyclobutabenzene)chromium(0) derivative; synthesis, structure, and solid state ^{13}C NMR spectroscopy of (H.G. Wey, P. Betz, I. Topalović, H. Butenschön), (411) 369

Cobalt

Actinide complexes with tripod ligands, synthesis and structure of $[CpCo\{P(O)(OEt)_2\}_3]UCl_3(THF)$ (M. Wedler, J.W. Gilje, M. Noltemeyer, F.T. Edelmann), (411) 271

Bi- and trinuclear cyclopentadienyl clusters of chromium with nitrene bridges (I.L. Eremenko, A.A. Pasynskii, E.A. Vas'utinskaya, A.S. Katugin, S.E. Nefedov, O.G. Ellert, V.M. Novotortsev, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (411) 193

$(OC)_2LCo(\eta^2\text{-}PR^1_2\text{–}PR^2)$; synthesis, properties and structures of this type of (η^2-phosphanediylphosphinito)cobalt complexes (E. Lindner, T. Funk, W. Hiller, R. Fawzi), (411) 491

Copper

Binuclear transition metal complexes of Cu^I, Mo^0, and Re^I with 2,2′-bipyrimidine (P.S. Braterman, J.-I. Song, S. Kohlmann, C. Vogler, W. Kaim), (411) 207

1,5,9,13-Tetraselenacyclohexadecane selenium coronand; syntheses, ^{77}Se CP-MAS solid state NMR spectra and crystal structures of adducts with copper(I) trifluoromethanesulfonate and mercury(II) cyanide (R.J. Batchelor, F.W.B. Einstein, I.D. Gay, J.-H. Gu, B.M. Pinto), (411) 147

Indium

Dimethylindium- and bis(trimethylsilymethyl)indium-dimesylamide, synthesis of; crystal structure of $[(Me_3SiCH_2)_2InN(SO_2Me)_2]_2$ (A. Blaschette, A. Michalides, P.G. Jones), (411) 57

Iridium

Highly reduced metalcarbonyl $[Ir(CO)_3]^{3-}$, reaction with the ethylenepentacarbonylrhenium cation; formation of the trinuclear hydride $(OC)_5Re-Ir(CO)_3(H)-Re(CO)_5$ and the trismetalated carbonate $\{\mu_3\text{-}CO_3[Re(CO)_5]_3\}^+$ (J. Breimair, C. Robl, W. Beck), (411) 395

Iron

Dicyclohexylammonium hydridoundecacarbonyltriferrate; X-ray diffraction study and Mössbauer effect spectral parameters of (R.B. King, G.S. Chorghade, N.K. Bhattacharyya, E.M. Holt, G.J. Long), (411) 419

1,3-Ditellura[3]ferrocenophanes, $Fe(C_5H_4Te)_2E$ (E = S, Se, Te or CH_2) (M. Herberhold, P. Leitner), (411) 233

1,1′-Di-tert-butyl-3,3′-bis(2,2-dimethylpropionyl)ferrocene, diastereoisomeric forms of (W. Bell, C. Glidewell), (411) 251

$[Fe_2(CN)(\eta\text{-}C_5H_5)_2(CO)_3]^-$, synthesis, structure and dynamics of (W.P. Fehlhammer, A. Schröder, F. Schoder, J. Fuchs, A. Völkl, B. Boyadjiev, S. Schrölkamp), (411) 405

$Fe_3(CO)_{11}^{2-}$ and $Fe_4(CO)_{13}^{2-}$, transformation to give trinuclear clusters (W. Deck, A.K. Powell, H. Vahrenkamp), (411) 431

cis-$Fe(CO)_4(SiCl_{3-n}Me_n)_2$ ($n = 1-3$), conversion with phosphines; competition between CO substitution, SiR_3 elimination and formation of SiR_2 bridged complexes (U. Schubert, M. Knorr, C. Straßer), (411) 75

$[(Me_3Sn^{IV})_4Fe^{II}(CN)_6 \cdot 4H_2O]_\infty$, an organotin Berlin blue analogue with coordinative O–H ··· N hydrogen bonds (U. Behrens, A.K. Brimah, R.D. Fischer), (411) 325

Te_2S, Te_2Se and Te_3 bridged compounds, energies of; CNDO/2 investigation of the mechanism of the bridge reversal process (E.W. Abel, K.G. Orrell, A.G. Osborne, V. Šik, W. Guoxiong), (411) 239

Lanthanium

Tris(η^5-cyclopentadienyl)neodymium(III), neutral base adducts of; interpretation of their optical magnetochemical, ESR and NMR properties (H. Reddmann, H. Schultze, H.-D. Amberger, G.V. Shalimoff, N.M. Edelstein), (411) 331

Magnesium

Dimeric [bis(*ortho*-anisyl)magnesium·THF]$_2$, crystal structure of (P.R. Markies, G. Schat, A. Villena, O.S. Akkerman, F. Bickelhaupt, W.J.J. Smeets, A.L. Spek), (411) 291

Manganese

Carbonyl-η^4-dien-η^5-2,4-dimethyl-2,4-pentadienyl-manganese complexes, photochemical reactions with olefins (C.G. Kreiter, K. Lehr, R. Exner), (411) 225

Complexes with two $-SMn(CO)_2Cp$ centres, separated radicals or S–S bonds (H. Braunwarth, P. Lau, G. Huttner, M. Minelli, D. Günauer, L. Zsolnai, I. Jibril, K. Evertz), (411) 383

$Fe_3(CO)_{11}^{2-}$ and $Fe_4(CO)_{13}^{2-}$, transformation to give trinuclear clusters (W. Deck, A.K. Powell, H. Vahrenkamp), (411) 431

Mercury

Monomercurated acetic acid; crystal structure of NO_3HgCH_2COOH (D. Grdenić, B. Korpar-Čolig, D. Matković-Čalogović, M. Sikirica, Z. Popović), (411) 19

1,5,9,13-Tetraselenacyclohexadecane selenium coronand; syntheses, ^{77}Se CP-MAS solid state NMR spectra and crystal structures of adducts with copper(I) trifluoromethanesulfonate and mercury(II) cyanide (R.J. Batchelor, F.W.B. Einstein, I.D. Gay, J.-H. Gu, B.M. Pinto), (411) 147

Metallocenes

Bis(η^5-cyclopentadienyl)molybdenum(IV) dialkyls, autoxidations of (J.M. Atkinson, P.B. Brindley), (411) 139

Bis(η^5-pentamethylcyclopentadienyl)zirconium(IV) dialkyls, autoxidations of (J.M. Atkinson, P.B. Brindley), (411) 131

1,3-Ditellura[3]ferrocenophanes, $Fe(C_5H_4Te)_2E$ (E = S, Se, Te or CH_2) (M. Herberhold, P. Leitner), (411) 233

1,1′-Di-tert-butyl-3,3′-bis(2,2-dimethylpropionyl)ferrocene, diastereoisomeric forms of (W. Bell, C. Glidewell), (411) 251

Tris(cyclopentadienyl)technetium(III), (η^5-$C_5H_5)_2Tc(\eta^1$-$C_5H_5)$, X-ray diffraction study of; dipole moment and charge distribution of $(C_5H_5)_3M$ (M = V, Tc, Re) (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (411) 171

Molybdenum

N-Allyl-trichloroacetamide, enantioselective epoxydation with optically active Mo catalysts (H. Brunner, H. Zintl), (411) 375

Binuclear transition metal complexes of Cu^I, Mo^0, and Re^I with 2,2′-bipyrimidine (P.S. Braterman, J.-I. Song, S. Kohlmann, C. Vogler, W. Kaim), (411) 207

Bis(η^5-cyclopentadienyl)molybdenum(IV) dialkyls, autoxidations of (J.M. Atkinson, P.B. Brindley), (411) 139

$(CO)_{5-n}(R'_3P)_nM(H)SiR_3$ (n = 2,3), synthesis of phosphane substituted hydridosilyl complexes of chromium, molybdenum and tungsten; synthesis of $(CO)_3(L–L)M(H)Cl$ by conversion of $(CO)_3(L-L)M(NCR')$ with $HSiClR_2$ (L–L = tmeda, bipy, dppe, $(PPh_3)_2$) (H. Piana, U. Schubert), (411) 303

Highly reduced metalcarbonyl $[Ir(CO)_3]^{3-}$, reaction with the ethylenepentacarbonylrhenium cation; formation of the trinuclear hydride $(OC)_5Re–Ir(CO)_3(H)–Re(CO)_5$ and the trismetalated carbonate $\{\mu_3$-$CO_3[Re(CO)_5]_3\}^+$ (J. Breimair, C. Robl, W. Beck), (411) 395

Molybdenum(II) and tungsten(II) tricyclohexylphosphinecarbondisulphide seven-coordinate complexes (P.K. Baker, D. ap Kendrick), (411) 215

Neodymium

Tris(η^5-cyclopentadienyl)neodymium(III), neutral base adducts of; interpretation of their optical magnetochemical, ESR and NMR properties (H. Reddmann, H. Schultze, H.-D. Amberger, G.V. Shalimoff, N.M. Edelstein), (411) 331

Nickel

Dinuclear nickel complex $\{(depe)NiBr\}_2(\mu$-*Z*,*Z*-PhC=CH–CH=CPh), facile cleavage of C–C bond (C.J. Lawrie, H.E. Dankosh, B.K. Carpenter), (411) C7

$Fe_3(CO)_{11}^{2-}$ and $Fe_4(CO)_{13}^{2-}$, transformation to give trinuclear clusters (W. Deck, A.K. Powell, H. Vahrenkamp), (411) 431

Ni^0 induced synthesis of cyclic C_8 carbon acids from cyclooctenes and carbon dioxide (H. Hoberg, A. Ballesteros), (411) C11

Osmium

$[C_6H_6Os(PR_3)]$ as structural element; synthesis and reactions with alkinyl, vinylidene, and vinylosmium(II) complexes (W. Knaup, H. Werner), (411) 471

L_4Ru^0 complex cores, inter- and intramolecular cleavage of sp^2- and sp^3-C–H bonds with P(*o*-$C_6H_4PMe_2)_3$, $N(CH_2CH_2PMe_2)_3$, $MeP(CH_2CH_2CH_2PMe_2)_2/PR_3$ and $MeSi(CH_2PMe_2)_3/PR_3$ (R = Me, OMe) as supporting ligands (L. Dahlenburg, S. Kerstan, D. Werner), (411) 457

Phosphorus

Alkylvanadium complexes, synthesis and characterisation of; molecular structure of *trans*-$[V(CO)_2(Ph_2PCH_2CH_2PPh_2)_2$ (D. Rehder, F. Süßmilch, W. Priebsch, M. Fornalczyk), (411) 357

$[C_6H_6Os(PR_3)]$ as structural element; synthesis and reactions with alkinyl, vinylidene, and vinylosmium(II) complexes (W. Knaup, H. Werner), (411) 471

$[(C_5H_5)Ru(dppm)(CH_2{=}SO_2)]^+$, a strong organometallic electrophile (W.A. Schenk, P. Urban), (411) C27

$(CO)_{5-n}(R'_3P)_nM(H)SiR_3$ ($n = 2,3$), synthesis of phosphane substituted hydridosilyl complexes of chromium, molybdenum and tungsten; synthesis of $(CO)_3(L–L)M(H)Cl$ by conversion of $(CO)_3(L–L)M(NCR')$ with $HSiClR_2$ (L–L = tmeda, bipy, dppe, $(PPh_3)_2$) (H. Piana, U. Schubert), (411) 303

cis-$Fe(CO)_4(SiCl_{3-n}Me_n)_2$ ($n = 1–3$), conversion with phosphines; competition between CO substitution, SiR_3 elimination and formation of SiR_2 bridged complexes (U. Schubert, M. Knorr, C. Straßer), (411) 75

L_4Ru^0 complex cores, inter- and intramolecular cleavage of sp^2- and sp^3-C–H bonds with P(*o*-$C_6H_4PMe_2)_3$, $N(CH_2CH_2PMe_2)_3$, $MeP(CH_2CH_2CH_2PMe_2)_2/PR_3$ and $MeSi(CH_2PMe_2)_3/PR_3$ (R = Me, OMe) as supporting ligands (L. Dahlenburg, S. Kerstan, D. Werner), (411) 457

Ni^0 induced synthesis of cyclic C_8 carbon acids from cyclooctenes and carbon dioxide (H. Hoberg, A. Ballesteros), (411) C11

$(OC)_2LCo(\eta^2\text{-}PR^1_2{-}PR^2)$; synthesis, properties and structures of this type of (η^2-phosphanediylphosphinito)cobalt complexes (E. Lindner, T. Funk, W. Hiller, R. Fawzi), (411) 491

Polycyclic silacyclobutanes, Rh-catalyzed synthesis from norbornadiene and diphenylsilane (H. Brunner, F. Prester), (411) C1

Rhenium

Binuclear transition metal complexes of Cu^I, Mo^0, and Re^I with 2,2′-bipyrimidine (P.S. Braterman, J.-I. Song, S. Kohlmann, C. Vogler, W. Kaim), (411) 207

$Fe_3(CO)_{11}^{2-}$ and $Fe_4(CO)_{13}^{2-}$, transformation to give trinuclear clusters (W. Deck, A.K. Powell, H. Vahrenkamp), (411) 431

Highly reduced metalcarbonyl $[Ir(CO)_3]^{3-}$, reaction with the ethylenepentacarbonylrhenium cation; formation of the trinuclear hydride $(OC)_5Re–Ir(CO)_3(H)–Re(CO)_5$ and the trismetalated carbonate $\{\mu_3\text{-}CO_3[Re(CO)_5]_3\}^+$ (J. Breimair, C. Robl, W. Beck), (411) 395

Tris(cyclopentadienyl)technetium(III), $(\eta^5\text{-}C_5H_5)_2Tc(\eta^1\text{-}C_5H_5)$, X-ray diffraction study of; dipole moment and charge distribution of $(C_5H_5)_3M$ (M = V, Tc, Re) (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (411) 171

Rhodium

Dirhodium(II) aqua-cation, reaction with carbon monoxide; new pathway for $Rh_4(CO)_{12}$ synthesis (M. Moszner, J.J. Ziółkowski), (411) 281

Polycyclic silacyclobutanes, Rh-catalyzed synthesis from norbornadiene and diphenylsilane (H. Brunner, F. Prester), (411) C1

Triazenido-bridged $[Rh_2]^{4+}$ unit, superoxide and semi-quinone derivatives of (N.G. Connelly, A.C. Loyns), (411) 285

Ruthenium

Alkenyl-ruthenium(II) $Ru(CO)Cl(RC{=}CHR')(PPh_3)_2$ complexes, reaction with CO; formation of dicarbonyl complexes or η^2-acyl complexes depending on the R and R' groups (H. Loumrhari, J. Ros, M.R. Torres, A. Santos, A.M. Echavarren), (411) 255

Bis(diazadiene)ruthenium, isomerisation, hydrogenation and metalation; structure of a potassium(tmeda)$_2$ruthenate(0) derivative (V. Rosenberger, G. Fendesak, H. tom Dieck), (411) 445

[(C_5H_5)Ru(dppm)$(CH_2{=}SO_2)$]$^+$, a strong organometallic electrophile (W.A. Schenk, P. Urban), (411) C27

(Dialkylsulfide)(arene)ruthenium(II) derivatives (M. Gaye, B. Demerseman, P.H. Dixneuf), (411) 263

L_4Ru^0 complex cores, inter- and intramolecular cleavage of sp^2- and sp^3-C–H bonds with P(*o*-$C_6H_4PMe_2)_3$, N$(CH_2CH_2PMe_2)_3$, MeP$(CH_2CH_2CH_2PMe_2)_2/PR_3$ and MeSi$(CH_2PMe_2)_3/PR_3$ (R = Me, OMe) as supporting ligands (L. Dahlenburg, S. Kerstan, D. Werner), (411) 457

Samarium

Monomeric organosamarium(III) chalcogenolates, synthesis by reductive cleavage of E–E bonds (E = S, Se, Te) (A. Recknagel, M. Noltemeyer, D. Stalke, U. Pieper, H.-G. Schmidt, F.T. Edelmann), (411) 347

Selenium

Monomeric organosamarium(III) chalcogenolates, synthesis by reductive cleavage of E–E bonds (E = S, Se, Te) (A. Recknagel, M. Noltemeyer, D. Stalke, U. Pieper, H.-G. Schmidt, F.T. Edelmann), (411) 347

Te_2S, Te_2Se and Te_3 bridged compounds, energies of; CNDO/2 investigation of the mechanism of the bridge reversal process (E.W. Abel, K.G. Orrell, A.G. Osborne, V. Šik, W. Guoxiong), (411) 239

1,5,9,13-Tetraselenacyclohexadecane selenium coronand; syntheses, ^{77}Se CP-MAS solid state NMR spectra and crystal structures of adducts with copper(I) trifluoromethanesulfonate and mercury(II) cyanide (R.J. Batchelor, F.W.B. Einstein, I.D. Gay, J.-H. Gu, B.M. Pinto), (411) 147

Silicon

Bis[bis(trimethylsilyl)methyl]tin(II), examination of the reaction with calcium; molecular and crystal structure of benzyl-tris[bis(trimethylsilyl)methyl]stannane (M. Westerhausen, T. Hildenbrand), (411) 1

$(CO)_{5-n}(R'_3P)_nM(H)SiR_3$ (n = 2,3), synthesis of phosphane substituted hydridosilyl complexes of chromium, molybdenum and tungsten; synthesis of $(CO)_3$(L–L)M(H)Cl by conversion of $(CO)_3$(L-L)M(NCR') with $HSiClR_2$ (L–L = tmeda, bipy, dppe, $(PPh_3)_2$) (H. Piana, U. Schubert), (411) 303

Dimethylindium- and bis(trimethylsilymethyl)indium-dimesylamide, synthesis of; crystal structure of $[(Me_3SiCH_2)_2InN(SO_2Me)_2]_2$ (A. Blaschette, A. Michalides, P.G. Jones), (411) 57

cis-Fe$(CO)_4(SiCl_{3-n}Me_n)_2$ (n = 1–3), conversion with phosphines; competition between CO substitution, SiR_3 elimination and formation of SiR_2 bridged complexes (U. Schubert, M. Knorr, C. Straßer), (411) 75

α-Functionalised silanes, regioselective synthesis via alkylation of lithiated trimethylsilylacetonitrile (B. Mauzé, L. Miginiac), (411) 69

L_4Ru^0 complex cores, inter- and intramolecular cleavage of sp^2- and sp^3-C–H bonds with P(*o*-$C_6H_4PMe_2)_3$, N$(CH_2CH_2PMe_2)_3$, MeP$(CH_2CH_2CH_2PMe_2)_2/PR_3$ and MeSi$(CH_2PMe_2)_3/PR_3$ (R = Me, OMe) as supporting ligands (L. Dahlenburg, S. Kerstan, D. Werner), (411) 457

Polycyclic silacyclobutanes, Rh-catalyzed synthesis from norbornadiene and diphenylsilane (H. Brunner, F. Prester), (411) C1

Technetium

Tris(cyclopentadienyl)technetium(III), (η^5-$C_5H_5)_2$Tc(η^1-C_5H_5), X-ray diffraction study of; dipole moment and charge distribution of $(C_5H_5)_3M$ (M = V, Tc, Re) (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (411) 171

Tellurium

Monomeric organosamarium(III) chalcogenolates, synthesis by reductive cleavage of E–E bonds (E = S, Se, Te) (A. Recknagel, M. Noltemeyer, D. Stalke, U. Pieper, H.-G. Schmidt, F.T. Edelmann), (411) 347

Te_2S, Te_2Se and Te_3 bridged compounds, energies of; CNDO/2 investigation of the mechanism of the bridge reversal process (E.W. Abel, K.G. Orrell, A.G. Osborne, V. Šik, W. Guoxiong), (411) 239

Tin

Bis[bis(trimethylsilyl)methyl]tin(II), examination of the reaction with calcium; molecular and crystal structure of benzyl-tris[bis(trimethylsilyl)methyl]stannane (M. Westerhausen, T. Hildenbrand), (411) 1

2,3-Bis(trimethylstannyl)-1-alkene moiety, Lewis acid-catalysed reaction with aldehydes (T.N. Mitchell, U. Schneider, K. Heesche-Wagner), (411) 107

2-Chloro-2-n-butyl-1,3-dithia-2-stannacyclopentane, synthesis of; crystal structure of its 1,10-phenanthroline complex (G. Bandoli, U. Casellato, V. Peruzzo, G. Plazzogna), (411) 99

Dicyclohexylammonium tri-n-butyltin 2-sulfobenzoate, $[(c\text{-}C_6H_{11})_2NH_2][^nBu_3Sn(O_2CC_6H_4\text{-}2\text{-}SO_3)]$, crystal structure of (S.W. Ng, V.G. Kumar Das, E.R.T. Tiekink), (411) 121

Diorganotin(IV) complexes of picolinic acid and picolinic acid *N*-oxide, preparation and tin-119*m* Mössbauer spectra (G.K. Sandhu, N.S. Boparoy), (411) 89

$[(Me_3Sn^{IV})_4Fe^{II}(CN)_6 \cdot 4H_2O]_\infty$, an organotin Berlin blue analogue with coordinative O–H $\cdots$ N hydrogen bonds (U. Behrens, A.K. Brimah, R.D. Fischer), (411) 325

$[O\{Sn(C_6H_3Et_2\text{-}2,6)_2\}_3]$, synthesis of a four-membered ring compound containing three tin atoms and one oxygen; crystal structure of (C.J. Cardin, D.J. Cardin, M.A. Convery, M.M. Devereux), (411) C3

Tungsten

$(CO)_{5-n}(R'_3P)_nM(H)SiR_3$ ($n = 2,3$), synthesis of phosphane substituted hydridosilyl complexes of chromium, molybdenum and tungsten; synthesis of $(CO)_3(L\text{–}L)M(H)Cl$ by conversion of $(CO)_3(L\text{-}L)M(NCR')$ with $HSiClR_2$ (L–L = tmeda, bipy, dppe, $(PPh_3)_2$) (H. Piana, U. Schubert), (411) 303

Molybdenum(II) and tungsten(II) tricyclohexylphosphinecarbondisulphide seven-coordinate complexes (P.K. Baker, D. ap Kendrick), (411) 215

Tungsten(0)-diethylaminocomplex, stepwise preparation from ethylisocyanide precursors (A.C. Filippou, W. Grünleitner, E.O. Fischer), (411) C21

Uranium

Actinide complexes with tripod ligands, synthesis and structure of $[CpCo\{P(O)(OEt)_2\}_3]UCl_3(THF)$ (M. Wedler, J.W. Gilje, M. Noltemeyer, F.T. Edelmann), (411) 271

Vanadium

Alkylvanadium complexes, synthesis and characterisation of; molecular structure of *trans*-$[V(CO)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (D. Rehder, F. Süßmilch, W. Priebsch, M. Fornalczyk), (411) 357

Tris(cyclopentadienyl)technetium(III), $(\eta^5\text{-}C_5H_5)_2Tc(\eta^1\text{-}C_5H_5)$, X-ray diffraction study of; dipole moment and charge distribution of $(C_5H_5)_3M$ (M = V, Tc, Re) (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (411) 171

$[V_2Cp_2(CO)_4(\mu\text{-}SMe)_2]$, ligand substitution by isocyanides or trimethyl phosphite; synthesis and spectroscopic characterisation of the mono- and di-substituted derivatives; electrochemical behaviour of the parent complex (F.Y. Pétillon, P. Schollhammer, J. Talarmin), (411) 159

Zirconium

Bis(η^5-pentamethylcyclopentadienyl)zirconium(IV) dialkyls, autoxidations of (J.M. Atkinson, P.B. Brindley), (411) 131